

Material Safety Data Sheet According to EU Directive 1907/2006

Date of issue: 15 January 2016

NEEMA3D[™] Flex: plus

1. Identification of the substance/preparation and of the company

1.1 Trade name: NEEMA3D[™] Flex: plus

1.2 Use of the product: Biodegradable resin, enhanced for the extrusion of 3D printer filaments.

1.3 **Supplier**: Sfinarolaki Bross SA 25is Martiou 170, Petroupolis 13231,Greece Phone: +30 2105014020 Emergency phone number: +30 2107793777

2. Hazards identification

2.1 Classification of the substance or mixture

Product definition: Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Classification according to Directive 1999/45/EC [DPD]

The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification: Not classified.

Remarks: Hazard of slipping on spilt product. Heated material can cause thermal burns. Electrostatic charging can occur during unloading or processing of this material. If necessary take precautionary measures against static discharges. The likelihood of adverse health effects arising from normal use of the product is considered very low. Appropriate precautions should be taken if the product is subjected to secondary processing. If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit. Dust may cause mechanical irritation.

2.2 Label elements

Hazard pictograms: Signal word: No signal word. Hazard statements: No known significant effects or critical hazards. Supplemental label elements: Not applicable. Precautionary statements Prevention: Not applicable. Response: Not applicable. Storage: Not applicable. Not applicable. Disposal: Hazardous ingredients: Not applicable. 2.3 Other hazards Other hazards which do not result in classification: Heated material can cause thermal burns



Material Safety Data Sheet

According to EU Directive 1907/2006

Date of issue: 15 January 2016

NEEMA3D[™] Flex: plus

3. Composition / information on ingredients

3.1 Substances / 3.2 Mixtures: Mixture

Chemical description: Base polymer: thermoplastic polyester elastomer

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment.

Remarks: The components of this product are embedded in an impervious polymer matrix and are therefore not biologically available. Any hazardous constituents are fixed in the polymer matrix and therefore present a negligible exposure risk under normal conditions of processing and handling. Additives contained in this product do not pose a risk to health unless they are liberated during processing (fumes from melting, dusts). Suitable Industrial Hygiene precautions should be implemented to prevent (respirable) dust and fume exposures. Exposure to (melting) fumes should be kept as low as possible, using suitable ventilation equipment. Dusts and fumes created from secondary processing may be irritating to respiratory tract and skin and should be considered as potentially hazardous. If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

4. First-aid measures

4.1 Description of first aid measures			
Eye contact:		Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.	
Inhalation:		Remove victim to fresh air and keep at rest in a position comfe for breathing. Get medical attention if symptoms occur.	ortable
Skin contact: clothing and sh	oes. Get med	Flush contaminated skin with plenty of water. Remove contar lical attention if symptoms occur. Do not remove clothing adhering	
Ingestion:	IF.	Wash out mouth with water. Remove victim to fresh air and ke rest in a position comfortable for breathing. Do not induce von unless directed to do so by medical personnel. Get medical at	niting
symptoms occur.			
Protection of fir training.	st-aiders:	No action shall be taken involving any personal risk or without	suitable
4.2 Most impo	rtant sympto	oms and effects, both acute and delayed	
Potential acute	health effects	3	
Eye contact:	No known significant effects or critical hazards.		
Inhalation:	No known significant effects or critical hazards.		
Skin contact:	Heated material can cause thermal burns resulting in pain, redness, blistering.		
Ingestion:	No known significant effects or critical hazards.		
Over-exposure signs/symptoms			
Eye contact:	No specific data.		
Inhalation:	No specific data.		
Skin contact:	No specific data. Page2/10		



contractor.

NEEMA3D[™] Flex: plus

Ingestion: No s	pecific data.		
4.3 Indication of any	r immediate medical attention and special treatment needed		
Notes to physician:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.		
Specific treatments:	No specific treatment.		
5. Fire-fighting meas	ures		
5.1 Extinguishing m	edia		
Small fire			
Suitable:	Suitable: Use dry chemical or CO ₂ .		
Not suitable: Non	e known.		
Large fire			
Suitable:	Use dry chemical powder. Alcohol-resistant foam.		
Not suitable: Non	e known.		
5.2 Special hazards	arising from the substance or mixture		
Hazards from the sub	-		
Hazardous combustic			
	oon monoxide, carbon dioxide, (dense) black smoke, aldehydes and organic		
acids.	, (, , , , , , , , , , , , , , , , , ,		
5.3 Advice for firefig	hters		
Special protective act	ions for fire-fighters: Avoid contact with heated material.		
Special protective equ	uipment for fire-fighters: Fire-fighters should wear appropriate protective		
equipment and self-co	ontained breathing apparatus (SCBA) with a full face-piece operated in positive		
,	ing for fire- fighters (including helmets, protective boots and gloves) conforming to		
European standard E	N 469 will provide a basic level of protection for chemical incidents.		
6. Accidental releas	e measures		
6.1 Personal precau	tions, protective equipment and emergency procedures		
For non-emergency p	ersonnel: No action shall be taken involving any personal risk or without		
	suitable training. Evacuate surrounding areas. Keep		
	unnecessary and unprotected personnel from entering. Do not		
	touch or walk through spilt material. Put on appropriate personal		
	protective equipment.		
For emergency respo	nders: If specialized clothing is required to deal with the spillage, take		
	note of any information in Section 8 on suitable and unsuitable		
	materials. See also the information in "For non-emergency		
	personnel".		
6.2 Environmental p	recautions		
•	It material and runoff and contact with soil, waterways, drains and sewers.		
	uthorities if the product has caused environmental pollution (sewers, waterways,		
soil or air).			
	iterial for containment and cleaning up		
-	e containers from spill area. Vacuum or sweep up material and place in a		
	gnated, labelled waste container. Dispose of via a licensed waste disposal		



Material Safety Data Sheet

According to EU Directive 1907/2006

Date of issue: 15 January 2016

NEEMA3D[™] Flex: plus

Large spill: Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

6.4 Reference to other sections

See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

7. Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures: Use with adequate ventilation. Local exhaust ventilation should be provided. Avoid creating dusty conditions and prevent wind dispersal. Take measures against static discharge. Keep away from sources of ignition.

Advice on general occupational hygiene:

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in original container, protected from direct sunlight.

7.3 Specific end use(s)

Recommendations:
Industrial sector specific solutions:
Remarks:

Not available. Not available. Big Bags may not be stacked. Do not stack pallets.

8. Exposure controls/ personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker or exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.



NEEMA3D[™] Flex: plus

Recommended monitoring procedures:

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available

8.2 Exposure controls

Appropriate engineering controls:

Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Individual protection measures

Hygiene measures: Wash hands, forearms and face thoroughly after handling chemical products.

Eye/face protection: Safety glasses with side shields.

Hand protection: Wear suitable gloves. When handling hot material, wear heat-resistant protective gloves that are able to withstand the temperature of molten product.

Skin and body: Working clothes.

Respiratory protection: No special protection is required. In case of insufficient ventilation, wear suitable respiratory equipment.

Environmental exposure controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Advice on personal protection is applicable for high exposure levels. Select proper personal protection based on a risk assessment of the actual exposure situation.



NEEMA3D[™] Flex: plus

9.1 Information on basic physical a	nd chemical properties
Physical state:	Solid. [Granules , Pellets.]
Colour: nati	urally opaque, dependent on the added pigment
Odour:	Not available.
Odour threshold:	Not available.
pH:	Not available.
Melting point/freezing point:	155 to 225 °C
Initial boiling point and boiling range:	Not available.
Softening range:	Not available.
Flash point:	>350 °C
Evaporation rate:	Not available
Flammability (solid, gas): Not	t available.
Upper/lower flammability or explosive limit	s: Not available.
Vapour pressure:	Not available.
Vapour density: Not	available.
Relative density:	>1 (Water = 1)
Density (g/cm³):	>1 g/cm³
Bulk density:	Not available.
Solubility:	Insoluble in the following materials: cold water.
Solubility in water:	Not available.
Partition coefficient: n- octanol/water:	Not available.
Auto-ignition temperature:	> 400 °C
Decomposition temperature:	>300°C
Viscosity:	Not available.
Explosive properties:	Not available.
Oxidising properties:	Not available.
9.2 Other information	
Minimum ignition temperature:	400 °C
Dust explosion class:	St1 - moderately explosive
10. Stability and reactivity	
10.1 Reactivity:	No specific test data related to reactivity available for
	this product or its ingredients.
10.2 Chemical stability:	The product is stable.
10.3 Possibility of hazardous reactions	hazardous reactions will not occur.
	o specific data.
10.5 Incompatible materials:	No specific data.
10.5 Incompatible materials:	
10.4 Conditions to avoid: N 10.5 Incompatible materials: 10.6 Hazardous decomposition produc Remarks:	



NEEMA3D[™] Flex: plus

cal effects	
Not available.	
Not available.	
Not available.	
Not available.	
Not available.	
Not available.	
Not available.	
Not available.	
ngle exposure): Not available.	
peated exposure): Not available.	
Not available.	
No known significant effects or critical hazards.	
No known significant effects or critical hazards.	
Heated material can cause thermal burns resulting in pain, redness, blistering.	
No known significant effects or critical hazards.	
al, chemical and toxicological characteristics	
No specific data.	
No specific data.	
No specific data.	
nown significant effects or critical hazards.	
No known significant effects or critical hazards.	
No known significant effects or critical hazards.	
No known significant effects or critical hazards.	
No known significant effects or critical hazards.	
No known significant effects or critical hazards.	

Remarks: The components of this product are embedded in an impervious polymer matrix and are therefore not biologically available. The likelihood of adverse health effects arising from normal use of the product is considered very low.



NEEMA3D[™] Flex: plus

12. Ecological information		
12.1 Toxicity		
Conclusion/Summary:	Not available.	
12.2 Persistence and degradability		
Conclusion/Summary:	Not available.	
12.3 Bioaccumulative potential		
12.4 Mobility in soil Soil/water partition coefficient (KOC):	Not available.	
,	available.	
12.5 Results of PBT and vPvB asses		
PBT:	Not applicable.	
vPvB:	Not applicable.	
12.6 Other adverse effects: No known significant effects or critical hazards. Remarks: This product is not biodegradable and not toxic to aquatic organisms. The components of this product are embedded in an impervious polymer matrix and are therefore not biologically available.		
13. Disposal considerations		
	s generic advice and guidance. The list of Identified Uses in available use-specific information provided in the Exposure	
13.1 Waste treatment methods		
Product		
solutions and any by-products should a protection and waste disposal legislation surplus and non-recyclable products v	bided or minimized wherever possible. Disposal of this product, at all times comply with the requirements of environmental on and any regional local authority requirements. Dispose of ia a licensed waste disposal contractor. Waste should not be less fully compliant with the requirements of all authorities with be recycled.	
Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.		
Hazardous waste: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.		
<u>Packaging</u> Methods of disposal: The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.		
Special precautions: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and rupoff and contact with soil, waterways		

some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways,

drains and sewers.



NEEMA3D[™] Flex: plus

14. Transport informat	ion			
	ADR/RID	ADN	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper	-	-	-	-
shipping name				
14.3 Transport	-	-	-	-
hazard class(es)				
14.4 Packing	-	-	-	-
group 14.5 Environmental	N1-	N1-	N1-	N1-
hazards	No.	No.	No.	No.
Additional information	-	-	-	-
Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage. 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not available.				
15. Regulatory information	ation			
15.1 Safety, health an mixture EU Regulatio			lation specific for	the substance or
Annex XIV None of the componen Substances of very hig None of the componen Annex XVII - Restriction substances, mixtures a Not applicable. International regulation Chemical Weapon Con	<u>h_concern</u> ts is listed. ns on the manufac nd articles <u>s</u>			of certain dangerous
Ingredient name Not listed.	List name		Status	
Montreal Protocol (Annexes A, B, C, E)				
Ingredient name Not listed.				
Stockholm Convention on Persistent Organic Pollutants				
Ingredient name Not listed.	name List name Status			
Rotterdam Convention	on Prior Inform Co	onsent (PIC)		
Ingredient name Not listed.	List name		Status	
				Page 9/10



Material Safety Data Sheet

According to EU Directive 1907/2006

Date of issue: 15 January 2016 NEEMA3D™ Flex: plus

UNECE Aarhus Protocol on POPs and Heavy Metals					
Ingredient name Not listed.	List name	Status			
15.2 Chemical Safety Asse	15.2 Chemical Safety Assessment: No Chemical Safety Assessment has been carried out.				
16. Other information					
Procedure used to derive the	classification acc	ording to Regulation (EC) No. 1272/2008 [CLP/GHS]			
Classification	Classification Justification				
Not classifie	d.				
Full text of abbreviated H sta	tomonte:	Not applicable			
Full text of classifications [CL		Not applicable. Not applicable.			
Full text of abbreviated R phr	-	applicable.			
Full text of classifications [DS		Not applicable.			
		Not applicable.			
Alterations compared to the p	previous version:				
Alterations compared to the p	previous version a	re marked with a little (blue) triangle.			
Abbreviations and acronyms:	ATE = Acute	Toxicity Estimate			
		ification, Labelling and Packaging Regulation (EC) No. 1272/2008]			
		ived Minimal Effect Level			
	DNEL = Der	ived No Effect Level			
	EUH statem	ent = CLP-specific Hazard statement			
	PBT = Persi	stent, Bioaccumulative and Toxic			
	PNEC = Pre	dicted No Effect Concentration			
	RRN = REA	CH Registration Number			
	vPvB = Very	Persistent and Very Bioaccumulative			
Training advice: Before hand involved sh sheet. Notice to reader		e/preparation, the personnel by means of this safety data			
publication. The information i construed as a warranty or sp	s intended to aid to ecification of the	heet is based on our data available on the date of he user in controlling the handling risks; it is not to be product quality. The information may not be or may not product with other substances or to particular			
		Page 10/10			